

World Spider Catalog (accessed 26 June 2017) – Revised from Richman, et al. 2012
Family: Salticidae Blackwall, 1841

Gen. *Admestina* Peckham & Peckham, 1888

Admestina archboldi Piel, 1992

FL, GA, LA, MS, TX

Admestina tibialis (C. L. Koch, 1846)

CT, FL, LA, MD, NY, PA, TN, TX, VA

Admestina wheeleri Peckham & Peckham, 1888

MB, ON; AR, CT, KS, MA, MI, MN, NY, SD, WI

Gen. *Anasaitis* Bryant, 1950

Anasaitis canosa (Walckenaer, 1837)

AL, AR, FL, GA, LA, MS, OK, SC, TX

Gen. *Attidops* Banks, 1905

Attidops cinctipes (Banks, 1900)

FL, LA, MS, TX

Attidops cutleri Edwards, 1999

TX

Attidops nickersoni Edwards, 1999

FL

Attidops youngi (Peckham & Peckham, 1888)

ON, PQ; CT, KS, MD, MI, NY, PA, TX, VA, AL?

Gen. *Bagheera* Peckham & Peckham, 1896

Bagheera prosper (Peckham & Peckham, 1901)

AR, OK, TX

Gen. *Beata* Peckham & Peckham, 1895

Beata wickhami (Peckham & Peckham, 1894)

FL

Gen. *Bellota* Peckham & Peckham, 1892

Bellota micans Peckham & Peckham, 1909

TX

Bellota wheeleri Peckham & Peckham, 1909

TX

Gen. *Bredana* Gertsch, 1936

Bredana alternata Gertsch, 1936

TX

Bredana complicata Gertsch, 1936

TX

Gen. *Chalcoscirtus* Bertkau, 1880

Chalcoscirtus alpicola (L. Koch, 1876)

AB, BC, NL, SK, YT; AK, CO, NH, UT, WY

Chalcoscirtus carbonarius Emerton, 1917

AB, YT; AK, MT

Chalcoscirtus diminutus (Banks, 1896)

AZ, CA, FL, GA, KS, MN, MO, NM, NY, SC, TX

Chalcoscirtus glacialis Caporiacco, 1935

YT; AK

- Gen. *Cheliferoides* F. O. Pickard-Cambridge, 1901
Cheliferoides longimanus Gertsch, 1936 AZ, FL, TX
Cheliferoides segmentatus F. O. Pickard-Cambridge, 1901 AZ, TX?
- Gen. *Chinattus* Logunov, 1999
Chinattus parvulus (Banks, 1895)
 ON, PQ; AL, AR, DC, FL, GA, IL, NC, NY, OH, TN, VA
- Gen. *Colonus* F. O. Pickard-Cambridge, 1901
Colonus hesperus (Richman & Vetter, 2004)
 AZ, CA, NM, TX
Colonus puerperus (Hentz, 1846)
 AL, AR, FL, GA, IL, IN, KS, MD, MN, MO, NC, NJ, OK, PA, SC, TX
Colonus sylvanus (Hentz, 1846)
 AL, AR, DE, FL, GA, IL, IN, KS, LA, MD, MO, MS, NC, NJ, NY, OH, SC, TN, TX,
 VA
- Gen. *Corythalia* C. L. Koch, 1850
Corythalia conspecta (Peckham & Peckham, 1896) AZ
Corythalia opima (Peckham & Peckham, 1885) AZ
- Genus *Cyllodania* Simon, 1902
Cyllodania sp. AZ
- Gen. *Dendryphantes* C. L. Koch, 1837
Dendryphantes nigromaculatus (Keyserling, 1885)
 BC, NL, NT, PQ, YT; CO, ID, ME, NH, NM, UT
- Gen. *Eris* C. L. Koch, 1846
Eris flava (Peckham & Peckham, 1888)
 ON; AR, FL, GA, IL, LA, MA, MD, MI, NC, NE, NY, SC, TX, VA, WI
Eris floridana (Banks, 1904)
 AL, AR, FL, NC, NJ, NY, OH, TX, VA
Eris militaris (Hentz, 1845)
 AB, BC, MB, NB, NS, NT, ON, PQ, SK, YT; AK, AR, CA, CO, CT, FL, GA, IA, ID, IL,
 KS, LA, MA, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NY, OH, OK,
 OR, PA, SC, SD, TN, TX, UT, WI, WV, WY
Eris rufa (C. L. Koch, 1846)
 ON?; CT?, MA, TX
- Gen. *Euophrys* C. L. Koch, 1834
Euophrys monadnock Emerton, 1891
 AB, BC, MB, NB, NS, ON, SK; CA, ME, MI, MN, NH, WI
- Gen. *Evarcha* Simon, 1902

Evarcha hoyi (Peckham & Peckham, 1883)

ON, PQ; CT, IA, ME, MI, MN, MT, ND, NH, NJ, PA, VA, VT, WI, WV

Evarcha proszynskii Marusik & Logunov, 1998

AB, BC, MB, NT, ON, SK, YT; AK, AZ, CA, CO, ID, MT, ND, NM, SD, UT, WA, WY

Gen. *Ghelna* Maddison, 1996

Ghelna barrowsi (Kaston, 1973)

AR, GA, KS, MD, TX, WV

Ghelna canadensis (Banks, 1897)

NL, ON, PQ; IA, IL, KS, MA, MN, NC, PA, TN, WI

Ghelna castanea (Hentz, 1846)

FL, MD, MS, NC, TX, VA

Ghelna sexmaculata (Banks, 1895)

DC, FL, MD, TN, TX

Gen. *Habronattus* F. O. Pickard-Cambridge, 1901

Habronattus agilis (Banks, 1893)

CT, MA, ME, NC, NJ, NY, VA

Habronattus alachua Griswold, 1987

FL

Habronattus altanus (Gertsch, 1934)

AB, MB, ON, SK; AZ, CO, MT, ND, NM, SD, UT, WY

Habronattus americanus (Keyserling, 1885)

AB, BC, MB, ON, SK; CA, CO, ID, MN, NV, OR, UT, WY

Habronattus amicus (Peckham & Peckham, 1909)

AB, SK; CA, CO, NM, OR, WA, WY

Habronattus anepsius (Chamberlin, 1924)

CA

Habronattus arcalorus Maddison & Maddison, 2016

TX

Habronattus ballatoris Griswold, 1987

CA

Habronattus borealis (Banks, 1895)

MB, NB, NS, ON, PQ; AR, IL, IN, KS, MA, ME, MI, NE, NH, NJ, NY, PA, WI

Habronattus brunneus (Peckham & Peckham, 1901)

FL, GA

Habronattus bulbipes (Chamberlin & Ivie, 1941)

CA

Habronattus calcaratus (Banks, 1904)

ON, PQ; CT, FL, IL, KS, MA, ME, NE, NY, OK, SD, TN, TX

Habronattus californicus (Banks, 1904)

CA

Habronattus captiosus (Gertsch, 1934)

AB, BC, MB, ON, YT; MI, MN, WI

Habronattus carolinensis (Peckham & Peckham, 1901)

FL, GA, SC

Habronattus clypeatus (Banks, 1895)

AZ, CO, NM, TX, UT, WY

Habronattus cockerelli (Banks, 1901)

CO, NM

Habronattus coecatus (Hentz, 1846)

AL, AR, DC, FL, GA, IL, KS, KY, LA, MA, MO, MS, NC, NJ, NY, OK, PA, SC, TN, TX, VA

Habronattus cognatus (Peckham & Peckham, 1901)

AB, MB, ON, SK; CO, IL, IN, KS, MI, MN, NM, NY, OK, TX, WY
 Habronattus conjunctus (Banks, 1898)
 AZ, CA, NM, NV, TX, UT
 Habronattus cuspidatus Griswold, 1987
 AB, SK; CO, IA, KS, MT, ND, NE, SD, WY
 Habronattus decorus (Blackwall, 1846)
 AB, BC, MB, NB, NS, ON, PQ, SK; CT, FL, IA, KS, KY, MA, ME, MI, MN, NH, NJ,
 NY, OR, PA, SC, TX, VT, WI
 Habronattus delectus (Peckham & Peckham, 1909) TX
 Habronattus dorotheae (Gertsch & Mulaik, 1936) TX
 Habronattus dossenus Griswold, 1987 AZ, NM
 Habronattus elegans (Peckham & Peckham, 1901) CA
 Habronattus fallax (Peckham & Peckham, 1909) TX
 Habronattus festus (Peckham & Peckham, 1901)
 AZ, CA, CO, ID, NM, NV, UT, WY
 Habronattus formosus (Banks, 1906) AZ, CA
 Habronattus forticulus (Gertsch & Mulaik, 1936) TX
 Habronattus georgiensis (Chamberlin & Ivie, 1944)
 AL, FL, GA
 Habronattus geronimoi Griswold, 1987 AZ, NM
 Habronattus gilaensis Maddison & Maddison, 2016 NM
 Habronattus hallani (Richman, 1973)
 AZ, CA, TX
 Habronattus hirsutus (Peckham & Peckham, 1888)
 BC; AZ, CA, CO, ID, KS, MT, NM, NV, OK, OR, TX, UT, WA, WY
 Habronattus icenoglei (Griswold, 1979)
 AZ, CA, NM
 Habronattus jucundus (Peckham & Peckham, 1909)
 BC; CA, MT, OR, WY
 Habronattus kawini (Griswold, 1979) CA
 Habronattus klauseri (Peckham & Peckham, 1901)
 AZ, CA, CO, NM, OK, TX
 Habronattus kubai (Griswold, 1979) WA
 Habronattus leuceres (Chamberlin, 1925) AL
 Habronattus luminosus Maddison, 2017 AZ
 Habronattus mataxus Griswold, 1987 TX
 Habronattus mexicanus (Peckham & Peckham, 1896) TX
 Habronattus moratus (Gertsch & Mulaik, 1936) TX
 Habronattus mustaciatus (Chamberlin & Ivie, 1941) CA
 Habronattus nemoralis (Peckham & Peckham, 1901) AZ
 Habronattus neomexicanus (Chamberlin, 1925) NM
 Habronattus notialis Griswold, 1987
 FL, MS, NC, SC
 Habronattus ocala Griswold, 1987 FL
 Habronattus ophrys Griswold, 1987
 BC; CA, OR

- Habronattus orbus Griswold, 1987
AR, KS, MO, OH, SC, TX, VA
- Habronattus oregonensis (Peckham & Peckham, 1888)
AB, BC; AZ, CA, MT, NV, OR, UT, WA
- Habronattus peckhami (Banks, 1921) CA
- Habronattus pugillis Griswold, 1987 AZ
- Habronattus pyrrithrix (Chamberlin, 1924) AZ, CA
- Habronattus sabulosus (Peckham & Peckham, 1901) GA
- Habronattus sansoni (Emerton, 1915)
AB, BC; CA, CO, OR, UT, WA, WY
- Habronattus schlingeri (Griswold, 1979) CA
- Habronattus signatus (Banks, 1900)
AZ, CA, UT
- Habronattus sugillatus Griswold, 1987 AZ, TX
- Habronattus superciliosus (Peckham & Peckham, 1901) AZ
- Habronattus tarsalis (Banks, 1904)
AZ, CA, NV, OR, UT
- Habronattus texanus (Chamberlin, 1924)
MB, ON, SK; AR, CT, GA, KS, MI, MN, ND, OK, TN, TX
- Habronattus tranquillus (Peckham & Peckham, 1901)
AZ, CA, NM, TX
- Habronattus trimaculatus Bryant, 1945 FL
- Habronattus tuberculatus (Gertsch & Mulaik, 1936)
AZ, CO, NM, TX
- Habronattus ustulatus (Griswold, 1979)
AZ, CA, NV, NM
- Habronattus venatoris Griswold, 1987
CO, NM, SD, WY
- Habronattus virgulatus Griswold, 1987
AZ, NM, TX
- Habronattus viridipes (Hentz, 1846)
NS, ON, PQ; CT, FL, IL, KS, MI, MN, NJ, NY, PA, SC, TX, WI, VT
- Habronattus waughi (Emerton, 1926)
NB, NS, PQ
- Gen. Hakka Berry & Prószyński, 2001
Hakka himeshimensis (Dönitz & Strand, in Bösenberg & Strand, 1906)
MA, NJ (Introduced)
- Gen. Hasarius Simon, 1871
Hasarius adansoni (Audouin, 1826)
MA, NY, TX, VA (Introduced); established populations only in TX
- Gen. Heliophanus C. L. Koch, 1833
Heliophanus kochii Simon, 1868 NY

Gen. *Hentzia* Marx, 1883

- Hentzia alamosa* Richman, 2010 TX
Hentzia chekika Richman, 1989 FL
Hentzia fimbriata (F. O. Pickard-Cambridge, 1901) AZ
Hentzia grenada (Peckham & Peckham, 1894) FL, GA
Hentzia mitrata (Hentz, 1846)
ON, PQ; AL, AR, CT, DC, FL, GA, IL, IA, KS, LA, MA, MD, MI, MN, MO, MS, NC,
NJ, NY, OH, PA, SC, TX, VA, WI, WV
Hentzia palmarum (Hentz, 1832)
MB, NB, NS, ON, PQ; AL, AR, CT, DC, DE, FL, GA, IA, IL, IN, KS, KY, LA, MA,
MD, MI, MN, MO, MS, NC, NE, NJ, NY, OK, PA, SC, TX, VA, WI
Hentzia pima Richman, 1989 AZ

Gen. *Leptofreya* Edwards, 2015

- Leptofreya ambigua* (C. L. Koch, 1846) FL, TX

Gen. *Lyssomanes* Hentz, 1845

- Lyssomanes viridis* (Walckenaer, 1837)
AL, AR, FL, GA, LA, SC, TX, VA

Gen. *Maevia* C. L. Koch, 1846

- Maevia expansa* Barnes, 1955 FL, GA
Maevia inclemens (Walckenaer, 1837)
MB, ON, PQ; AL, AR, CT, FL, GA, IA, IL, IN, KS, KY, LA, MA, MD, MI, MN, MO,
NE, NJ, NY, PA, SC, TX, VA, WI, WV
Maevia intermedia Barnes, 1955
AL, FL, GA, SC, TN

Gen. *Marchena* Peckham & Peckham, 1909

- Marchena minuta* (Peckham & Peckham, 1888)
CA, ID, MT, NV, OR, WA

Gen. *Marpissa* C. L. Koch, 1846

- Marpissa bina* (Hentz, 1846)
FL, GA, NC
Marpissa bryantae (Jones, 1945) TX
Marpissa dentoides Barnes, 1958
FL, GA, MA, NC, NY, TN, TX
Marpissa formosa (Banks, 1892)
ON, PQ; AL, IA, IL, IN, KS, LA, ME, MN, MS, NC, NJ, NY, OH, OK, PA, TN, TX
Marpissa grata (Gertsch, 1936)
ON; FL, IA, MI, MN
Marpissa lineata (C. L. Koch, 1846)
ON; GA, IA, IL, KS, MA, MI, MN, MO, MS, NJ, NM, NY, OH, PA, SD, TN, TX
Marpissa obtusa Barnes, 1958 TX
Marpissa pikei (Peckham & Peckham, 1888)

ON; AL, AR, AZ, CT, FL, GA, IA, KS, LA, MI, MN, MS, NJ, NM, NY, OH, SC, TX,
 VA, WI
 Marpissa robusta (Banks, 1906) AZ, CA
 Marpissa sulcosa Barnes, 1958
 FL, NC, SC

Gen. Menemerus Simon, 1868
 Menemerus bivittatus (Dufour, 1831)
 CA, FL, LA, MN, NC, TX, WV
 Menemerus semilimbatus (Hahn, 1829) CA

Gen. Messua Peckham & Peckham, 1896
 Messua limbata (Banks, 1898) AZ, TX

Gen. Metacyrba F. O. Pickard-Cambridge, 1901
 Metacyrba floridana Gertsch, 1934
 AZ, FL, GA, LA, MS, TX
 Metacyrba punctata (Peckham & Peckham, 1894) FL, TX
 Metacyrba taeniola similis Banks, 1904
 AZ, CA, CO, NV, OK, TX, UT
 Metacyrba taeniola taeniola (Hentz, 1846)
 AL, AR, AZ, CA, CO, DC, DE, FL, GA, KS, LA, MD, MS, NC, NM, NV, OK, PA, SC,
 TN, TX, UT, VA

Gen. Metaphidippus F. O. Pickard-Cambridge, 1901
 Metaphidippus annectans (Chamberlin, 1929) UT
 Metaphidippus carmenensis (Chamberlin, 1924) AZ, CA
 Metaphidippus chera (Chamberlin, 1924)
 AZ, CA, NM, NV, OK, TX, UT
 Metaphidippus diplacis (Chamberlin, 1924) CA
 Metaphidippus emmiltus Maddison, 1996
 CA, NM, OK
 Metaphidippus felix (Peckham & Peckham, 1901) AZ, TX
 Metaphidippus iviei (Roewer, 1951) CA
 Metaphidippus longipalpus F. O. Pickard-Cambridge, 1901 USA?
 Metaphidippus manni (Peckham & Peckham, 1901)
 BC; AZ, CA, NM, OR, WA
 Metaphidippus siticulosus (Peckham & Peckham, 1909)
 AZ, CA, KS, NM

Gen. Mexigonus Edwards, 2003
 Mexigonus arizonensis (Banks, 1904) AZ, NM
 Mexigonus minutus (F. O. Pickard-Cambridge, 1901)
 AZ, CA, NM, TX
 Mexigonus morosus (Peckham & Peckham, 1888) AZ, CA

- Gen. *Myrmarachne* MacLeay, 1839
Myrmarachne formicaria (De Geer, 1778)
 OH (introduced)
- Gen. *Naphrys* Edwards, 2003
Naphrys acerba (Peckham & Peckham, 1909) NM, TX
Naphrys bufoides (Chamberlin & Ivie, 1944) FL, GA
Naphrys pulex (Hentz, 1846)
 MB, NF, NS, ON, PQ; AL, AR, CT, DC, FL, GA, IA, IL, IN, KS, KY, LA, MA, MD,
 ME, MI, MN, MO, MS, NC, NE, NH, NJ, NY, OH, OK, PA, SC, TN, TX, VA, VT,
 WI, WV
Naphrys xerophila (Richman, 1981) FL
- Gen. *Neon* Simon, 1876
Neon avalonus Gertsch & Ivie, 1955 CA
Neon ellamae Gertsch & Ivie, 1955
 MB; CA, IA, ID, KS, MN, OR, UT, WI
Neon nelli Peckham & Peckham, 1888
 AB, BC, LN, MB, NB, NS, ON, PQ; FL, GA, IA, IL, MA, ME, MI, MN, NC, NH, NJ,
 NM, NY, OH, PA, SD, TN, TX, WI
Neon pixii Gertsch & Ivie, 1955
 BC; CA, OR, SD, UT
Neon plutonus Gertsch & Ivie, 1955
 FL, GA, NY, OH
Neon reticulatus (Blackwall, 1853)
 BC, YT; AK, AZ, NM, OR, WA
- Gen. *Neonella* Gertsch, 1936
Neonella camillae Edwards, 2003 FL
Neonella vinnula Gertsch, 1936
 FL, GA, NC, TX
- Gen. *Paradamoetas* Peckham & Peckham, 1885
Paradamoetas fontanus (Levi, 1951)
 ON; MN, WI
Paradamoetas formicinus Peckham & Peckham, 1885 TX?
- Gen. *Paramaevia* Barnes, 1955
 Note: these three species have been listed under *Maevia* in some catalogs.
Paramaevia hobbsae Barnes, 1955 FL, NC
Paramaevia michelsoni Barnes, 1955 FL
Paramaevia poultoni (Peckham & Peckham, 1901) AZ, TX
- Gen. *Paramarpissa* F. O. Pickard-Cambridge, 1901
Paramarpissa albopilosa (Banks, 1902)
 AZ, CA, NM

Paramarpissa griswoldi Logunov & Cutler, 1999 CA
 Paramarpissa piratica (Peckham & Peckham, 1888)
 AZ, NM, TX

Gen. Paraphidippus F. O. Pickard-Cambridge, 1901
 Paraphidippus aurantius (Lucas, 1833)
 AZ, DE, FL, IL, KS, MD, MO, NE, NM, SC, TX, VA
 Paraphidippus basalis (Banks, 1904) AZ, NM
 Paraphidippus fertilis (Peckham & Peckham, 1888) TX

Gen. Parnaenus Peckham & Peckham, 1896
 Parnaenus sp. undescribed TX

Gen. Peckhamia Simon, 1901
 Peckhamia americana (Peckham & Peckham, 1892)
 AL, AR, AZ, CA, CO, FL, GA, IL, IN, KS, LA, MD, MO, NC, NH, NJ, NY, OK, PA,
 SC, TN, TX, VA Specimens west of the Great Plains belong to an undescribed species
 (B. Cutler).
 Peckhamia picata (Hentz, 1846)
 MB, ON, PQ, SK; AL, AR, CT, GA, IA, MA, MI, MN, MO, NH, NJ, NY, SC, SD, TN,
 TX, VA, WI
 Peckhamia scorpionia (Hentz, 1846)
 BC; AZ, FL, KS, MI, MO, NC, NM, TX
 Peckhamia seminola Gertsch, 1936 FL

Gen. Pelegrina Franganillo, 1930
 Pelegrina aeneola (Curtis, 1892)
 AB, BC; AZ, CA, CO, ID, MT, ND, NM, NV, OR, SD, UT, WA, WY
 Pelegrina arizonensis (Peckham & Peckham, 1901)
 AB, SK; AZ, CO, KS, MN, MT, NM, ND, TX
 Pelegrina balia Maddison, 1996
 AZ, CA, CO, OR, WA
 Pelegrina bunites Maddison, 1996 AZ
 Pelegrina chaimona Maddison, 1996 AZ
 Pelegrina chalceola Maddison, 1996
 AR, AZ, CO, IL, NM, TX
 Pelegrina clemata (Levi & Levi, 1951)
 AB, BC, SK; CA, CO, ID, MT, NM, NV, OR, UT, WA
 Pelegrina dithalea Maddison, 1996 AZ
 Pelegrina exigua (Banks, 1892)
 ON; AL, AR, CT, DC, GA, IL, KS, NY, MA, MD, MO, MS, NC, NJ, NY, SC, TN, TX,
 VA, WV
 Pelegrina flaviceps (Kaston, 1973)
 NB, ON, PQ; ME, MI, NH, NY, PA, VT, WV
 Pelegrina flavipes (Peckham & Peckham, 1888)
 AB, BC, MB, NL, NT, NS, ON, PE, PQ, SK; CO, ID, IL, ME, MI, MN, MT, NC, NM,

- WA, WI, WY
Pelegrina furcata (F. O. Pickard-Cambridge, 1901)
 AZ, CO, NM, TX
Pelegrina galathea (Walckenaer, 1837)
 NS, ON; AL, AR, CO, CT, DC, DE, FL, GA, IL, IN, KS, KY, LA, MA, MI, MO, MS,
 NC, NE, NH, NJ, NM, NY, OH, OK, PA, RI, SC, TN, TX, VT, VA, WV
Pelegrina helenae (Banks, 1921)
 BC; CA, OR, ID, UT, WA, WY
Pelegrina huachuca Maddison, 1996 AZ
Pelegrina insignis (Banks, 1892)
 AB, MB, NB, ON, PQ, SK; CO, CT, IA, IL, MA, ME, MI, MN, MT, ND, NJ, NY, VT,
 WI, WY
Pelegrina kastoni Maddison, 1996 AZ, NM
Pelegrina montana (Emerton, 1891)
 AB, BC, MB, NL, NS, NT, ON, PQ, YT; AK, CO, ID, MT, NH, NM, NY, UT, VA, VT,
 WY
Pelegrina orestes Maddison, 1996 AZ, NM
Pelegrina peckhamorum (Kaston, 1973)
 AR, MA, NJ, NY, TN, TX
Pelegrina pervaga (Peckham & Peckham, 1909)
 KS, NE, OK, TX
Pelegrina proterva (Walckenaer, 1837)
 AB, BC, MB, NB, NS, ON, PQ, SK; AL, CO, CT, GA, IA, IL, IN, KS, KY, MA, MD,
 ME, MI, MN, MO, MT, NC, ND, NE, NH, NJ, NY, OH, PA, RI, SC, SD, TX, VA, VT,
 WI, WV
Pelegrina sabinema Maddison, 1996
 AZ, NM, TX
Pelegrina tillandsiae (Kaston, 1973)
 FL, LA, MS, NC, TX
Pelegrina tristis Maddison, 1996 AZ
Pelegrina verecunda (Chamberlin & Gertsch, 1930)
 AZ, CA, NM, UT
- Gen. *Pellenes* Simon, 1876
Pellenes canadensis Maddison, 2017 BC; MT
Pellenes apacheus Lowrie & Gertsch, 1955 AZ
Pellenes crandalli Lowrie & Gertsch, 1955 AZ
Pellenes grammaticus Chamberlin, 1925 AZ
Pellenes ignifrons (Grube, 1861)
 AB, BC, ON, YT; WY
Pellenes lapponicus (Sundevall, 1833)
 AB, BC, NS, ON, PQ, SK, YT; CO, ME
Pellenes levii Lowrie & Gertsch, 1955
 YT; CA, WY
Pellenes limatus Peckham & Peckham, 1901
 AZ, CA, TX

Pellenes longimanus Emerton, 1913
 FL, NJ, NY, TX
Pellenes peninsularis Emerton, 1925
 MB, NB, NS, ON; IL, IN, KS, MI, MN, ND, SD, WI
Pellenes shoshonensis Gertsch, 1934
 BC; ID, MT, WY
Pellenes washonus Lowrie & Gertsch, 1955 CA

Gen. *Phanias* F. O. Pickard-Cambridge, 1901
Phanias albeolus (Chamberlin & Ivie, 1941) CA
Phanias concoloratus (Chamberlin & Gertsch, 1930) CA
Phanias dominatus (Chamberlin & Ivie, 1941) CA
Phanias furcifer (Gertsch, 1936) AZ
Phanias harfordi (Peckham & Peckham, 1888) CA, WA
Phanias monticola (Banks, 1895) CA, CO
Phanias neomexicanus (Banks, 1901) NM
Phanias watonus (Chamberlin & Ivie, 1941) BC; CA

Gen. *Phidippus* C. L. Koch, 1846
Phidippus adumbratus Gertsch 1934 CA
Phidippus apacheanus Chamberlin & Gertsch, 1929
 AL, AR, AZ, CA, CO, DC, FL, GA, ID, KS, LA, MA, MN, MO, MS, MT, NC, NE, NM,
 NV, NY, OK, SC, TX, UT, WI, WY
Phidippus ardens Peckham & Peckham, 1901
 AZ, CA, CO, ID, KS, NM, NV, OK, UT, WA
Phidippus arizonensis (Peckham & Peckham, 1883) NM, TX
Phidippus asotus Chamberlin & Ivie, 1933
 AZ, CA, CO, NM, NV, OK, TX, UT
Phidippus audax (Hentz, 1845)
 ON, SK; AL, AZ, CA, CO, CT, DC, DE, FL, GA, ID, IL, IN, KS, LA, MA, MD, MI,
 MN, MO, MS, NC, NE, NH, NJ, NM, NY, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT,
 VA, WA, WI, WV, WY
Phidippus aureus Edwards, 2004 CA
Phidippus bidentatus F. O. Pickard-Cambridge, 1901 TX
Phidippus boei Edwards, 2004 CA
Phidippus borealis Banks, 1895
 AB, BC, MB, NL, NT, ON, PQ, SK, YT; AK, CO, ID, ME, MI, MN, MT, NH, NY, SD,
 UT, WA, WI, WY
Phidippus californicus Peckham & Peckham, 1901
 AZ, CA, NM, OR, TX, UT
Phidippus cardinalis (Hentz, 1845)
 AL, AR, CO, CT, DC, FL, GA, IL, KS, LA, MA, MD, MO, MS, NC, NM, NY, OH, OK,
 PA, RI, SC, TN, TX, VA, WV
Phidippus carneus Peckham & Peckham, 1896
 AZ, CO, NM, TX
Phidippus carolinensis Peckham & Peckham, 1909

KS, OK, TX
 Phidippus clarus Keyserling, 1885
 ON, PQ, SK; AL, AR, AZ, CA, CO, CT, DC, FL, GA, IA, ID, IL, IN, KS, KY, LA, MA,
 MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NY, OH, OK, OR, PA, RI, SC,
 TN, TX, UT, VA, VT, WA, WI, WV
 Phidippus comatus Peckham & Peckham, 1901
 SK; AZ, CA, NM, NV, OR, TX, UT, WA, WY
 Phidippus concinnus Gertsch, 1934
 CA, ID
 Phidippus cryptus Edwards, 2004
 AB, MB, ON, SK; MN, MT, ND
 Phidippus felinus Edwards, 2004 AZ, NM
 Phidippus insignarius C. L. Koch, 1846
 AR, CO, CT, DC, IA, IL, IN, KS, KY, MA, MD, MI, MN, MO, NC, NE, NJ, NY, OH,
 OK, PA, TN, VA
 Phidippus johnsoni (Peckham & Peckham, 1883)
 AB, BC, NT, SK; AZ, CA, CO, ID, MT, NV, OR, SD, UT, WA, WY
 Phidippus kastoni Edwards, 2004 CA
 Phidippus lynceus Edwards, 2004 NV, OR
 Phidippus morpheus Edwards, 2004 AZ, NM
 Phidippus mystaceus (Hentz, 1846)
 AL, AR, CO, CT, DC, FL, GA, IL, KS, KY, MD, MO, NC, NJ, NY, OH, OK, SC, TN,
 TX, VA
 Phidippus nikites Chamberlin & Ivie, 1935
 CA, ID, NV
 Phidippus octopunctatus (Peckham & Peckham, 1883)
 AZ, CA, CO, IA, KS, MO, MT, NE, NM, NV, SD, TX, UT, WA
 Phidippus olympus Edwards, 2004 AZ, NM
 Phidippus otiosus (Hentz, 1846)
 AL, AR, DC, FL, GA, LA, MD, MI (intercepted), MN (intercepted on plants from FL),
 MO, MS, NC, SC, TN, TX, VA
 Phidippus phoenix Edwards, 2004 AZ, CA, TX
 Phidippus pius Scheffer, 1905
 AL, AZ, FL, GA, IL, IN, KS, LA, MI, MN, MO, MS, NC, NM, OK, PA, SC, TN, TX,
 VA
 Phidippus princeps (Peckham & Peckham, 1883)
 MB, NS, ON, PQ, SK; AL, AR, CT, GA, IA, IL, IN, KS, KY, LA, MA, MD, MI, MN,
 MO, MS, NC, NH, NJ, NY, OH, OK, PA, RI, SC, TN, TX, UT, VA, VT, WI, WV
 Phidippus pruinosus Peckham & Peckham, 1909 TX
 Phidippus pulcherrimus Keyserling, 1885
 AL, FL, GA, SC
 Phidippus purpuratus Keyserling, 1885
 AB, BC, MB, NS, ON, PQ, SK; AR, CT, DC, FL, KS, MA, MD, ME, MI, MN, MO,
 MT, ND, NE, NH, NY, PA, SC, VA, VT, WI, WY
 Phidippus putnami (Peckham & Peckham, 1883)

AL, AR, DC, GA, IL, IN, KS, KY, LA, MD, MO, MS, NC, NE, NJ, OH, OK, PA, SC,
 TN, TX, VA, WV
 Phidippus regius C. L. Koch, 1846
 AL, FL, GA, MS, NC, SC, VA
 Phidippus richmani Edwards, 2004 FL
 Phidippus texanus Banks, 1906
 AR, CO, KS, MO, MT, ND, NE, NM, OK, TX
 Phidippus tigris Edwards, 2004 AZ
 Phidippus toro Edwards, 1978 AZ
 Phidippus tux Pinter, 1970 AZ
 Phidippus tyrannus Edwards, 2004
 AZ, NM, TX
 Phidippus tyrrelli Peckham & Peckham, 1901
 BC; AZ, CA, CO, ID, MT, NM, OR, UT, WY
 Phidippus ursulus Edwards, 2004 NM
 Phidippus vexans Edwards, 2004 NM, TX
 Phidippus whitmani Peckham & Peckham, 1909
 MB, NL, NS, ON, PQ; AL, AR, CT, DC, DE, FL, GA, IA, IL, IN, KS, KY, LA, MA,
 MD, ME, MI, MN, MO, MS, NC, ND, NE, NH, NJ, NY, OH, OK, PA, RI, SC, TN, TX,
 VA, WI
 Phidippus workmani Peckham & Peckham, 1901 FL, GA

Gen. Phlegra Simon, 1876
 Phlegra hentzi (Marx, 1890)
 ON; AR, FL, KS, MA, MN, MO, OH, SC, TX, WI

Gen. Platycryptus Hill, 1979
 Platycryptus arizonensis (Barnes, 1958)
 AZ, CA, NM, UT
 Platycryptus californicus (Peckham & Peckham, 1888)
 BC; AZ, CA, CO, ID, MT, OR, TX, UT
 Platycryptus undatus (DeGeer, 1778)
 MB, NS, ON, PQ; AL, AR, CT, DC, FL, GA, IA, IL, KS, KY, LA, MA, MD, MI, MN,
 MO, MS, NC, NE, NJ, NY, OK, PA, SC, TN, TX, VA, WI, WV

Gen. Plexippus C. L. Koch, 1846
 Plexippus paykulli (Audouin, 1826)
 FL, GA, NM, SC, TX

Gen. Poultonella Peckham & Peckham, 1909
 Poultonella alboimmaculata (Peckham & Peckham, 1883)
 IA, KS, NM, NY, OK, TX, VA
 Poultonella nuecesensis Cokendolpher & Horner, 1978 TX

Gen. Pseudeuophrys Dahl, 1912
 Pseudeuophrys erratica (Walckenaer, 1826) NJ, NY

- Gen. Rhetenor Simon, 1902
 Rhetenor texanus Gertsch, 1936 TX
- Gen. Salticus Latreille, 1804
 Salticus austinensis Gertsch, 1936
 KS, OK, TX
 Salticus palpalis (Banks, 1904) AZ, CA
 Salticus peckhamae (Cockerell, 1897) NM, TX
 Salticus scenicus (Clerck, 1757)
 AB, MB, NB, NL, NS, ON, PQ, SK; AR, CA, CO, CT, GA, IA, IL, KS, MI, MN, NJ,
 NY, OR, PA, TX, WI
- Gen. Sarinda Peckham & Peckham, 1892
 Sarinda cutleri (Richman, 1965) AZ, CA
 Sarinda hentzi (Banks, 1913)
 AR, AZ, CT, FL, GA, KS, MA, MO, NY, SC, TX
- Gen. Sassacus Peckham & Peckham, 1895
 Sassacus cyaneus (Hentz, 1846)
 NB; AL, AR, CT, FL, GA, IA, IL, MA, MO, MS, NC, NE, NJ, NY, OH, PA, SC, TX,
 VA, WI, WV
 Sassacus paiutus (Gertsch, 1934)
 AZ, CA, UT
 Sassacus papenhoei Peckham & Peckham, 1895
 BC; AL, AZ, AR, CA, CO, DC, IA, ID, IL, KS, LA, MD, MI, MN, MO, MS, MT, NC,
 NE, NM, NV, OK, OR, SC, TN, TX, UT, VA, WA, WI, WY
 Sassacus vitis (Cockerell, 1894)
 AB, BC; AZ, CA, FL, ID, KS, MT, NM, OK, OR, TX, UT, WA, WY
- Gen. Sibianor Logunov, 2001
 Sibianor aemulus (Gertsch, 1934)
 AB, MB, ON, PQ, SK; MN, WI
- Gen. Sitticus Simon, 1901
 Sitticus ammophilus (Thorell, 1875)
 ON
 Sitticus concolor (Banks, 1895)
 AL, AR, CT, FL, GA, IA, KS, MO, MS, NE, NJ, NY, OH, SC, TX
 Sitticus cutleri Prószyński, 1980
 AB, NL, NT, SK; MN, UT
 Sitticus dorsatus (Banks, 1895)
 BC; CA, KS, ND, NM, TX, UT
 Sitticus fasciger (Simon, 1880)
 BC, MB, ON, PQ; IL, KS, MI, MN, NH, NJ, NY, PA, WI
 Sitticus finschi (L. Koch, 1879)

- AB, BC, MB, NB, NL, PQ, SK, YT; AK, MN, NH, WY
Sitticus juniperi Gertsch & Riechert, 1976 NM
Sitticus magnus Chamberlin & Ivie, 1944
 GA, NC, SC
Sitticus palustris (Peckham & Peckham, 1883)
 AB, BC, MB, NB, NL, NS, NT, ON, PE, PQ, SK, YT; CA, CT, IA, ME, MN, NH, NY,
 WI
Sitticus pubescens (Fabricius, 1775)
 MA, NH, NJ
Sitticus ranieri (Peckham & Peckham, 1909)
 AB, BC, MB, NL, NT, PQ, SK, YT; AK, OR, WA, WY
Sitticus rupicola (C. L. Koch, 1837) TX (almost certainly erroneous)
Sitticus striatus Emerton, 1911
 AB, MB, NB, NL, NS, ON, PQ, SK; AK, MA, ME, MN, WI
Sitticus sylvestris (Emerton, 1891)
 ON; MA
Sitticus welchi Gertsch & Mulaik, 1936 TX
- Gen. *Synageles* Simon, 18760
Synageles bishopi Cutler, 1988
 AR, CT, FL, KS, KY, MA, MD, MO, MS, NC, NJ, NM, NY, PA, SC, TN, TX, VA
Synageles canadensis Cutler, 1988
 BC, NB, NS, ON, PQ; MI
Synageles idahoanus (Gertsch, 1934)
 CA, ID, OR, UT, WY
Synageles leechi Cutler, 1988 BC
Synageles mexicanus Cutler, 1988 AZ, NM
Synageles noxiosus (Hentz, 1850)
 ON; AZ, CA, CT, DC, FL, GA, KS, IA, LA, MA, MI, MO, MS, NC, NJ, NM, NV, NY,
 OK, PA, TN, TX, VA
Synageles occidentalis Cutler, 1988
 ON, PQ; AZ, CA, CO, IA, ID, IL, MI, MN, ND, NE, NV, OR, SD, UT, WA, WI
Synageles venator (Lucas, 1836) PQ
- Gen. *Synemosyna* Hentz, 1846
Synemosyna formica Hentz, 1846
 ON; AR, CT, FL, GA, IA, IL, KS, MN, NH, NJ, PA, SC, TX
Synemosyna petrunkevitchi (Chapin, 1922) FL
- Gen. *Talavera* Peckham & Peckham, 1909
Talavera minuta (Banks, 1895)
 AB, BC, MB, NS, NT, ON, PQ, SK, YT; CA, CT, KS, MA, MN, NM, NY, PA, TX, UT,
 WA
- Gen. *Terralonus* Maddison, 1996
Terralonus banksi (Roewer, 1951) NM

Terralonus californicus (Peckham & Peckham, 1888)	BC; CA
Terralonus fraternus (Banks, 1932)	OK
Terralonus mylothrus (Chamberlin, 1925)	UT
Terralonus shaferi (Gertsch & Riechert, 1976)	NM
Terralonus unicus (Chamberlin & Gertsch, 1930)	
AZ, KS, NM, UT, WY	
Terralonus versicolor (Peckham & Peckham, 1909)	
ME (most likely erroneous)	

Gen. Tutelina Simon, 1901

Tutelina elegans (Hentz, 1846)	
ON; AR, CT, IL, KS, MI, MN, MO, MS, NJ, SC, TX	
Tutelina formicaria (Emerton, 1891)	
ON; CT, GA, MA, MI, MN, NJ, NY	
Tutelina harti (Emerton, 1891)	
MB, ON, PQ; CT, FL, IL, KS, MN, NE, SC	
Tutelina similis (Banks, 1895)	
AB, BC, MB, NS, ON, PE, PQ, SK; CT, IA, IL, IN, MN, MO, NM, NY, TX, WI, WY	

Gen. Zygoballus Peckham & Peckham, 1885

Zygoballus nervosus (Peckham & Peckham, 1888)	
ON, PQ; FL, KS, LA, MN, NY, TX	
Zygoballus rufipes Peckham & Peckham, 1885	
ON; AR, AZ, FL, IL, KS, MA, MN, MO, NY, PA, SC, TX	
Zygoballus sexpunctatus (Hentz, 1845)	
FL, SC, TX	

(List submitted by David Richman and Bruce Cutler 27 January 2000). Modified by David Richman 15 February 2015, based on Richman, Cutler & Hill, 2012 (Peckhamia 95.3) at http://peckhamia.com/peckhamia/PECKHAMIA_95.3.pdf and updated Canadian Records provided from Paquin, P., D. J. Buckle, N. Dupérré and C. D. Dondale. 2010. Checklist of the spiders (Araneae) of Canada and Alaska. Zootaxa 2461. (Modified by D. Allen Dean, 15 July 2017)