

World Spider Catalog (accessed 4 December 2020) – Revised from Richman, et al. 2012
Family: Salticidae Blackwall, 1841

Gen. Admestina Peckham & Peckham, 1888

Admestina archboldi Piel, 1992

FL, GA, LA, MS, TX

Admestina tibialis (C. L. Koch, 1846)

CT, FL, IL, IN, LA, MD, MI, NY, OH, PA, TN, TX, VA, WI

Admestina wheeleri Peckham & Peckham, 1888

MB, ON; AR, CT, IN, KS, MA, MI, MN, NY, SD, WI

Gen. Anasaitis Bryant, 1950

Anasaitis canosa (Walckenaer, 1837)

AL, AR, FL, GA, IN, LA, MS, OK, SC, TX

Gen. Attidops Banks, 1905

Attidops cinctipes (Banks, 1900)

FL, LA, MS, TX

Attidops cutleri Edwards, 1999

TX

Attidops nickersoni Edwards, 1999

FL

Attidops youngi (Peckham & Peckham, 1888)

ON, PQ; AL?, CT, IL, KS, MD, MI, NY, OH, PA, TX, VA, WI

Gen. Attinella Banks, 1905

Attinella concolor (Banks, 1895)

AL, AR, CT, FL, GA, IA, IL, KS, MO, MS, NE, NJ, NY, OH, SC, TX, WI

Attinella dorsata (Banks, 1895)

BC; CA, CO, IL, KS, ND, NM, TX, UT

Attinella juniperi Gertsch & Riechert, 1976

NM

Gen. Attulus Simon, 1889

Attulus ammophilus (Thorell, 1875)

BC, ON; IN, UT

Attulus cutleri (Prószyński, 1980)

AB, NL, NT, SK; IN, MN, UT

Attulus fasciger (Simon, 1880)

BC, MB, ON, PQ; IL, IN, KS, MI, MN, NH, NJ, NY, PA, VA, WI

Attulus finschi (L. Koch, 1879)

AB, BC, MB, NB, NL, ON, PQ, SK, YT; AK, MN, NH, WY

Attulus floricola (C. L. Koch, 1837)

AB, BC, MB, NB, NL, NS, NT, ON, PE, PQ, SK, YT; CA, CO, CT, IA, IL, IN, ME, MI,

MN, NE, NH, NY, OH, WA, WI

Attulus pubescens (Fabricius, 1775)

BC; IN, MA, NH, NJ (introduced)
Attulus striatus (Emerton, 1911)
AB, MB, NB, NL, NS, ON, PQ, SK; AK, MA, ME, MN, NH, WI
Attulus sylvestris (Emerton, 1891)
ON; CA, CO, GA, IN, MA, MD, NC, SC, TX

Gen. *Bagheera* Peckham & Peckham, 1896
Bagheera prosper (Peckham & Peckham, 1901)
AR, OK, TX

Gen. *Beata* Peckham & Peckham, 1895
Beata wickhami (Peckham & Peckham, 1894)
FL

Gen. *Bellota* Peckham & Peckham, 1892
Bellota micans Peckham & Peckham, 1909
TX
Bellota wheeleri Peckham & Peckham, 1909
TX

Gen. *Chalcoscirtus* Bertkau, 1880
Chalcoscirtus alpicola (L. Koch, 1876)
AB, BC, NL, SK, YT; AK, CO, NH, UT, WY
Chalcoscirtus carbonarius Emerton, 1917
AB, YT; AK, MT
Chalcoscirtus diminutus (Banks, 1896)
AZ, CA, FL, GA, KS, MN, MO, NM, NY, SC, TX
Chalcoscirtus glacialis Caporiacco, 1935
YT; AK

Gen. *Cheliferoides* F. O. Pickard-Cambridge, 1901
Cheliferoides longimanus Gertsch, 1936
AZ, FL, TX
Cheliferoides segmentatus F. O. Pickard-Cambridge, 1901
AZ, TX not a true *Cheliferoides*

Gen. *Chinattus* Logunov, 1999
Chinattus parvulus (Banks, 1895)
ON, PQ; AL, AR, DC, FL, GA, IL, IN, NC, NY, OH, TN, VA, WI

Gen. *Colonus* F. O. Pickard-Cambridge, 1901
Colonus hesperus (Richman & Vetter, 2004)
AZ, CA, NM, TX
Colonus puerperus (Hentz, 1846)
AL, AR, FL, GA, IL, IN, KS, MD, MN, MO, NC, NJ, OH, OK, PA, SC, TX
Colonus sylvanus (Hentz, 1846)

AL, AR, DE, FL, GA, IL, IN, KS, LA, MD, MO, MS, NC, NJ, NY, OH, SC, TN, TX,
VA

Gen. *Corythalia* C. L. Koch, 1850

Corythalia conspecta (Peckham & Peckham, 1896)

AZ

Corythalia opima (Peckham & Peckham, 1885)

AZ

Gen. *Dendryphantes* C. L. Koch, 1837

Dendryphantes nigromaculatus (Keyserling, 1885)

BC, NL, NT, PQ, YT; CO, ID, ME, NH, NM, UT

Gen. *Eris* C. L. Koch, 1846

Eris flava (Peckham & Peckham, 1888)

ON; AR, FL, GA, IL, IN, LA, MA, MD, MI, NC, NE, NY, SC, TX, VA, WI

Eris floridana (Banks, 1904)

AL, AR, FL, IN, NC, NJ, NY, OH, TX, VA

Eris militaris (Hentz, 1845)

AB, BC, MB, NB, NS, NT, ON, PQ, SK, YT; AK, AR, CA, CO, CT, FL, GA, IA, ID, IL,
IN, KS, LA, MA, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NY, OH,
OK, OR, PA, SC, SD, TN, TX, UT, WI, WV, WY

Eris rufa (C. L. Koch, 1846)

ON?; CT?, IL, IN, MA, OH, TX

Gen. *Euophrys* C. L. Koch, 1834

Euophrys monadnock Emerton, 1891

AB, BC, MB, NB, NS, ON, SK; CA, ME, MI, MN, NH, OH, WI

Gen. *Evarcha* Simon, 1902

Evarcha amabilis (C. L. Koch, 1846)

United States

Evarcha hoyi (Peckham & Peckham, 1883)

ON, PQ; CT, IA, IL, IN, ME, MI, MN, MT, ND, NH, NJ, OH, PA, VA, VT, WI, WV

Evarcha proszynskii Marusik & Logunov, 1998

AB, BC, MB, NT, ON, SK, YT; AK, AZ, CA, CO, ID, MT, ND, NM, SD, UT, WA, WY

Gen. *Ghelna* Maddison, 1996

Ghelna barrowsi (Kaston, 1973)

AR, GA, IN, KS, MD, OH, TX, WV

Ghelna canadensis (Banks, 1897)

NL, ON, PQ; IA, IL, IN, KS, MA, MI, MN, NC, OH, PA, TN, WI

Ghelna castanea (Hentz, 1846)

FL, MD, MS, NC, TX, VA

Ghelna sexmaculata (Banks, 1895)

DC, FL, MD, TN, TX

Gen. *Habronattus* F. O. Pickard-Cambridge, 1901

Habronattus agilis (Banks, 1893)
CT, IL, IN, MA, ME, MI, NC, NJ, NY, OH, VA

Habronattus alachua Griswold, 1987
FL

Habronattus altanus (Gertsch, 1934)
AB, MB, ON, SK; AZ, CO, MT, ND, NM, SD, UT, WY

Habronattus americanus (Keyserling, 1885)
AB, BC, MB, ON, SK; CA, CO, ID, MN, NV, OR, UT, WY

Habronattus amicus (Peckham & Peckham, 1909)
AB, SK; CA, CO, NM, OR, WA, WY

Habronattus anepsius (Chamberlin, 1924)
CA

Habronattus arcalorus Maddison & Maddison, 2016
TX

Habronattus ballatoris Griswold, 1987
CA

Habronattus borealis (Banks, 1895)
MB, NB, NS, ON, PQ; AR, IL, IN, KS, MA, ME, MI, NE, NH, NJ, NY, OH, PA, WI

Habronattus brunneus (Peckham & Peckham, 1901)
FL, GA

Habronattus bulbipes (Chamberlin & Ivie, 1941)
CA

Habronattus calcaratus (Banks, 1904)
ON, PQ; CT, FL, IL, IN, KS, MA, ME, MI, NE, NY, OH, OK, SD, TN, TX

Habronattus californicus (Banks, 1904)
CA

Habronattus captiosus (Gertsch, 1934)
AB, BC, MB, ON, YT; MI, MN, WI

Habronattus carolinensis (Peckham & Peckham, 1901)
FL, GA, SC

Habronattus clypeatus (Banks, 1895)
AZ, CO, NM, TX, UT, WY

Habronattus cockerelli (Banks, 1901)
CO, NM

Habronattus coecatus (Hentz, 1846)
AL, AR, DC, FL, GA, IL, IN, KS, KY, LA, MA, MI, MO, MS, NC, NJ, NY, OH, OK,
PA, SC, TN, TX, VA

Habronattus cognatus (Peckham & Peckham, 1901)
AB, MB, ON, SK; CO, IL, IN, KS, MI, MN, NM, NY, OH, OK, TX, WY

Habronattus conjunctus (Banks, 1898)
AZ, CA, IL, IN, NM, NV, TX, UT

Habronattus cuspidatus Griswold, 1987
AB, SK; CO, IA, KS, MT, ND, NE, SD, WY

Habronattus decorus (Blackwall, 1846)

AB, BC, MB, NB, NS, ON, PQ, SK; CT, FL, IA, IL, KS, KY, MA, ME, MI, MN, NH,
NJ, NY, OH, OR, PA, SC, TX, VT, WI

Habronattus delectus (Peckham & Peckham, 1909)
TX

Habronattus dorotheae (Gertsch & Mulaik, 1936)
TX

Habronattus dossenus Griswold, 1987
AZ, NM

Habronattus elegans (Peckham & Peckham, 1901)
CA

Habronattus fallax (Peckham & Peckham, 1909)
TX

Habronattus festus (Peckham & Peckham, 1901)
AZ, CA, CO, ID, NM, NV, UT, WY

Habronattus formosus (Banks, 1906)
AZ, CA

Habronattus forticulus (Gertsch & Mulaik, 1936)
TX

Habronattus georgiensis (Chamberlin & Ivie, 1944)
AL, FL, GA

Habronattus geronimoi Griswold, 1987
AZ, NM

Habronattus gilaensis Maddison & Maddison, 2016
NM

Habronattus hallani (Richman, 1973)
AZ, CA, TX

Habronattus hirsutus (Peckham & Peckham, 1888)
BC; AZ, CA, CO, ID, KS, MT, NM, NV, OK, OR, TX, UT, WA, WY

Habronattus icenoglei (Griswold, 1979)
AZ, CA, NM

Habronattus jucundus (Peckham & Peckham, 1909)
BC; CA, MT, OR, WY

Habronattus kawini (Griswold, 1979)
CA

Habronattus klauseri (Peckham & Peckham, 1901)
AZ, CA, CO, NM, OK, TX

Habronattus kubai (Griswold, 1979)
WA

Habronattus leuceres (Chamberlin, 1925)
AL

Habronattus luminosus Maddison, 2017
AZ

Habronattus matacus Griswold, 1987
TX

Habronattus mexicanus (Peckham & Peckham, 1896)
TX

- Habronattus moratus (Gertsch & Mulaik, 1936)
TX
- Habronattus mustaciatus (Chamberlin & Ivie, 1941)
CA
- Habronattus nemoralis (Peckham & Peckham, 1901)
AZ
- Habronattus neomexicanus (Chamberlin, 1925)
NM
- Habronattus notialis Griswold, 1987
FL, MS, NC, SC
- Habronattus ocala Griswold, 1987
FL
- Habronattus ophrys Griswold, 1987
BC; CA, OR
- Habronattus orbus Griswold, 1987
AR, IN, KS, MO, OH, SC, TX, VA
- Habronattus oregonensis (Peckham & Peckham, 1888)
AB, BC; AZ, CA, MT, NV, OR, UT, WA
- Habronattus peckhami (Banks, 1921)
CA
- Habronattus pugillis Griswold, 1987
AZ
- Habronattus pyrrithrix (Chamberlin, 1924)
AZ, CA
- Habronattus sabulosus (Peckham & Peckham, 1901)
GA
- Habronattus sansoni (Emerton, 1915)
AB, BC; CA, CO, OR, UT, WA, WY
- Habronattus schlingeri (Griswold, 1979)
CA
- Habronattus signatus (Banks, 1900)
AZ, CA, UT
- Habronattus sugillatus Griswold, 1987
AZ, TX
- Habronattus superciliosus (Peckham & Peckham, 1901)
AZ
- Habronattus tarsalis (Banks, 1904)
AZ, CA, NV, OR, UT
- Habronattus texanus (Chamberlin, 1924)
MB, ON, SK; AR, CT, GA, IL, IN, KS, MI, MN, ND, OH, OK, TN, TX
- Habronattus tranquillus (Peckham & Peckham, 1901)
AZ, CA, NM, TX
- Habronattus trimaculatus Bryant, 1945
FL
- Habronattus tuberculatus (Gertsch & Mulaik, 1936)
AZ, CO, NM, TX

Habronattus ustulatus (Griswold, 1979)
AZ, CA, NV, NM
Habronattus venatoris Griswold, 1987
CO, NM, SD, WY
Habronattus virgulatus Griswold, 1987
AZ, NM, TX
Habronattus viridipes (Hentz, 1846)
NS, ON, PQ; CT, FL, IL, KS, MI, MN, NJ, NY, OH, PA, SC, TX, WI, VT
Habronattus waughi (Emerton, 1926)
NB, NS, PQ

Gen. *Hakka* Berry & Prószyński, 2001
Hakka himeshimensis (Dönitz & Strand, in Bösenberg & Strand, 1906)
MA, NJ, NY (introduced)

Gen. *Hasarius* Simon, 1871
Hasarius adansonii (Audouin, 1826)
IL, IN, MA, NY, TX, VA (introduced), WI; established populations only in TX

Gen. *Heliophanus* C. L. Koch, 1833
Heliophanus kochii Simon, 1868
NY (introduced)

Gen. *Hentzia* Marx, 1883
Hentzia alamosa Richman, 2010
TX
Hentzia chekika Richman, 1989
FL
Hentzia fimbriata (F. O. Pickard-Cambridge, 1901)
AZ, TX
Hentzia grenada (Peckham & Peckham, 1894)
FL, GA
Hentzia mitrata (Hentz, 1846)
ON, PQ; AL, AR, CT, DC, FL, GA, IA, IL, IN, KS, LA, MA, MD, MI, MN, MO, MS,
NC, NJ, NY, OH, PA, SC, TX, VA, WI, WV
Hentzia palmarum (Hentz, 1832)
MB, NB, NS, ON, PQ; AL, AR, CT, DC, DE, FL, GA, IA, IL, IN, KS, KY, LA, MA,
MD, MI, MN, MO, MS, NC, NE, NJ, NY, OH, OK, PA, SC, TX, VA, WI
Hentzia pima Richman, 1989
AZ

Gen. *Hyetussa* Simon, 1902
Hyetussa alternata (Gertsch, 1936)
TX
Hyetussa complicata (Gertsch, 1936)
TX

- Gen. *Icius* Simon, 1876
Icius subinermis (Simon, 1937)
PA
- Gen. *Leptofreya* Edwards, 2015
Leptofreya ambigua (C. L. Koch, 1846)
FL, TX
- Gen. *Lyssomanes* Hentz, 1845
Lyssomanes viridis (Walckenaer, 1837)
AL, AR, FL, GA, LA, SC, TX, VA
- Gen. *Maevia* C. L. Koch, 1846
Maevia expansa Barnes, 1955
FL, GA
Maevia inclemens (Walckenaer, 1837)
MB, ON, PQ; AL, AR, CT, FL, GA, IA, IL, IN, KS, KY, LA, MA, MD, MI, MN, MO,
NE, NJ, NY, OH, PA, SC, TX, VA, WI, WV
Maevia intermedia Barnes, 1955
AL, FL, GA, SC, TN
- Gen. *Marchena* Peckham & Peckham, 1909
Marchena minuta (Peckham & Peckham, 1888)
CA, ID, MT, NV, OR, WA
- Gen. *Marpissa* C. L. Koch, 1846
Marpissa bina (Hentz, 1846)
FL, GA, IL, MI, NC, WI
Marpissa bryantae (Jones, 1945)
TX
Marpissa dentoides Barnes, 1958
FL, GA, MA, NC, NY, OH, TN, TX
Marpissa formosa (Banks, 1892)
ON, PQ; AL, IA, IL, IN, KS, LA, ME, MI, MN, MS, NC, NJ, NY, OH, OK, PA, TN,
TX, WI
Marpissa grata (Gertsch, 1936)
ON; FL, IA, IL, MI, MN, WI
Marpissa lineata (C. L. Koch, 1846)
ON; GA, IA, IL, IN, KS, MA, MI, MN, MO, MS, NJ, NM, NY, OH, PA, SD, TN, TX,
WI
Marpissa obtusa Barnes, 1958
TX
Marpissa pikei (Peckham & Peckham, 1888)
ON; AL, AR, AZ, CT, FL, GA, IA, IL, IN, KS, LA, MI, MN, MS, NJ, NM, NY, OH, SC,
TX, VA, WI

Marpissa robusta (Banks, 1906)

AZ, CA

Marpissa sulcosa Barnes, 1958

FL, NC, SC

Gen. *Menemerus* Simon, 1868

Menemerus bivittatus (Dufour, 1831)

CA, FL, LA, NC, TX, WV

Menemerus semilimbatus (Hahn, 1829)

CA

Gen. *Messua* Peckham & Peckham, 1896

Messua felix (Peckham & Peckham, 1901)

AZ, TX

Messua limbata (Banks, 1898)

AZ, TX

Gen. *Metacyrba* F. O. Pickard-Cambridge, 1901

Metacyrba floridana Gertsch, 1934

AZ, FL, GA, LA, MS, TX

Metacyrba punctata (Peckham & Peckham, 1894)

FL, TX

Metacyrba taeniola similis Banks, 1904

AZ, CA, CO, NV, OK, TX, UT

Metacyrba taeniola taeniola (Hentz, 1846)

AL, AR, AZ, CA, CO, DC, DE, FL, GA, IL, KS, LA, MD, MS, NC, NM, NV, OK, PA,
SC, TN, TX, UT, VA, WI

Gen. *Metaphidippus* F. O. Pickard-Cambridge, 1901

Metaphidippus annectans (Chamberlin, 1929)

UT

Metaphidippus carmenensis (Chamberlin, 1924)

AZ, CA

Metaphidippus chera (Chamberlin, 1924)

AZ, CA, NM, NV, OK, TX, UT

Metaphidippus diplacis (Chamberlin, 1924)

CA

Metaphidippus emmiltus Maddison, 1996

CA, NM, OK

Metaphidippus iviei (Roewer, 1951)

CA

Metaphidippus longipalpus F. O. Pickard-Cambridge, 1901

USA?

Metaphidippus manni (Peckham & Peckham, 1901)

BC; AZ, CA, NM, OR, WA

Metaphidippus siticulosus (Peckham & Peckham, 1909)

AZ, CA, KS, NM
Metaphidippus texanus (Banks, 1904)
TX

Gen. *Mexigonous* Edwards, 2003
Mexigonous arizonensis (Banks, 1904)
AZ, NM
Mexigonous minutus (F. O. Pickard-Cambridge, 1901)
AZ, CA, NM, TX
Mexigonous morosus (Peckham & Peckham, 1888)
AZ, CA

Gen. *Myrmarachne* MacLeay, 1839
Myrmarachne albocincta (C. L. Koch, 1846)
CT, FL, LA, MA, MO, MS, NY, PA, TX
Myrmarachne formicaria (De Geer, 1778)
NY, OH (introduced), PA

Gen. *Naphrys* Edwards, 2003
Naphrys acerba (Peckham & Peckham, 1909)
NM, TX
Naphrys bufooides (Chamberlin & Ivie, 1944)
FL, GA
Naphrys pulex (Hentz, 1846)
MB, NF, NS, ON, PQ; AL, AR, CT, DC, FL, GA, IA, IL, IN, KS, KY, LA, MA, MD,
ME, ME, MI, MN, MO, MS, NC, NE, NH, NJ, NY, OH, OK, PA, SC, TN, TX, VA, VT,
WI, WV
Naphrys xerophila (Richman, 1981)
FL

Gen. *Neon* Simon, 1876
Neon avalonus Gertsch & Ivie, 1955
CA
Neon ellamae Gertsch & Ivie, 1955
MB; CA, IA, ID, KS, MN, OR, UT, WI
Neon nelli Peckham & Peckham, 1888
AB, BC, LN, MB, NB, NS, ON, PQ; FL, GA, IA, IL, IN, MA, ME, MI, MN, NC, NH,
NJ, NM, NY, OH, PA, SD, TN, TX, WI
Neon pixii Gertsch & Ivie, 1955
BC; CA, OR, SD, UT
Neon plutonus Gertsch & Ivie, 1955
FL, GA, IL, NY, OH
Neon reticulatus (Blackwall, 1853)
BC, YT; AK, AZ, NM, OR, WA

Gen. *Neonella* Gertsch, 1936

Neonella camillae Edwards, 2003

FL

Neonella vinnula Gertsch, 1936

FL, GA, NC, TX

Gen. *Paradamoetas* Peckham & Peckham, 1885

Paradamoetas fontanus (Levi, 1951)

ON; MN, WI

Paradamoetas formicinus Peckham & Peckham, 1885

TX?

Gen. *Paramaevia* Barnes, 1955

Note: these three species have been listed under *Maevia* in some catalogs.

Paramaevia hobbsae Barnes, 1955

FL, NC

Paramaevia michelsoni Barnes, 1955

FL

Paramaevia poultoni (Peckham & Peckham, 1901)

AZ, TX

Gen. *Paramarpissa* F. O. Pickard-Cambridge, 1901

Paramarpissa albopilosa (Banks, 1902)

AZ, CA, NM

Paramarpissa griswoldi Logunov & Cutler, 1999

CA

Paramarpissa piratica (Peckham & Peckham, 1888)

AZ, NM, TX

Gen. *Paraphidippus* F. O. Pickard-Cambridge, 1901

Paraphidippus aurantius (Lucas, 1833)

AZ, DE, FL, IL, IN, KS, MD, MO, NE, NM, OH, SC, TX, VA

Paraphidippus basalis (Banks, 1904)

AZ, NM

Paraphidippus fartilis (Peckham & Peckham, 1888)

TX

Gen. *Peckhamia* Simon, 1901

Peckhamia americana (Peckham & Peckham, 1892)

AL, AR, AZ, CA, CO, FL, GA, IL, IN, KS, LA, MD, MO, NC, NH, NJ, NY, OH, OK,

PA, SC, TN, TX, VA Specimens west of the Great Plains belong to an undescribed

species (B. Cutler).

Peckhamia picata (Hentz, 1846)

MB, ON, PQ, SK; AL, AR, CT, GA, IA, IL, MA, MI, MN, MO, NH, NJ, NY, OH, SC,
SD, TN, TX, VA, WI

Peckhamia scorpionia (Hentz, 1846)

BC; AZ, FL, KS, MI, MO, NC, NM, OH, TX

Peckhamia seminola Gertsch, 1936
FL

- Gen. *Pelegrina* Franganillo, 1930
- Pelegrina aeneola* (Curtis, 1892)
AB, BC; AZ, CA, CO, ID, MT, ND, NM, NV, OR, SD, UT, WA, WY
- Pelegrina arizonensis* (Peckham & Peckham, 1901)
AB, SK; AZ, CO, KS, MN, MT, NM, ND, TX
- Pelegrina balia* Maddison, 1996
AZ, CA, CO, OR, WA
- Pelegrina bunites* Maddison, 1996
AZ
- Pelegrina chaimona* Maddison, 1996
AZ
- Pelegrina chalceola* Maddison, 1996
AR, AZ, CO, IL, NM, TX
- Pelegrina clemata* (Levi & Levi, 1951)
AB, BC, SK; CA, CO, ID, MT, NM, NV, OR, UT, WA
- Pelegrina dithalea* Maddison, 1996
AZ
- Pelegrina exigua* (Banks, 1892)
ON; AL, AR, CT, DC, GA, IL, IN, KS, NY, MA, MD, MO, MS, NC, NJ, NY, OH, SC,
TN, TX, VA, WV
- Pelegrina flaviceps* (Kaston, 1973)
NB, ON, PQ; ME, MI, NH, NY, PA, VT, WI, WV
- Pelegrina flavipes* (Peckham & Peckham, 1888)
AB, BC, MB, NL, NT, NS, ON, PE, PQ, SK; CO, ID, IL, IN, ME, MI, MN, MT, NC,
NM, TX, WA, WI, WY
- Pelegrina furcata* (F. O. Pickard-Cambridge, 1901)
AZ, CO, NM, TX
- Pelegrina galathea* (Walckenaer, 1837)
NS, ON; AL, AR, CO, CT, DC, DE, FL, GA, IL, IN, KS, KY, LA, MA, MI, MO, MS,
NC, NE, NH, NJ, NM, NY, OH, OK, PA, RI, SC, TN, TX, VT, VA, WI, WV
- Pelegrina helenae* (Banks, 1921)
BC; CA, OR, ID, UT, WA, WY
- Pelegrina huachuca* Maddison, 1996
AZ
- Pelegrina insignis* (Banks, 1892)
AB, MB, NB, ON, PQ, SK; CO, CT, IA, IL, IN, MA, ME, MI, MN, MT, ND, NJ, NY,
OH, VT, WI, WY
- Pelegrina kastoni* Maddison, 1996
AZ, NM
- Pelegrina montana* (Emerton, 1891)
AB, BC, MB, NL, NS, NT, ON, PQ, YT; AK, CO, ID, MI, MT, NH, NM, NY, UT, VA,
VT, WI, WY
- Pelegrina orestes* Maddison, 1996

- AZ, NM
Pelegrina peckhamorum (Kaston, 1973)
AR, IN, MA, NJ, NY, OH, TN, TX
Pelegrina pervaga (Peckham & Peckham, 1909)
KS, NE, OK, TX
Pelegrina proterva (Walckenaer, 1837)
AB, BC, MB, NB, NS, ON, PQ, SK; AL, CO, CT, GA, IA, IL, IN, KS, KY, MA, MD,
ME, MI, MN, MO, MT, NC, ND, NE, NH, NJ, NY, OH, PA, RI, SC, SD, TX, VA, VT,
WI, WV
Pelegrina sabinema Maddison, 1996
AZ, NM, TX
Pelegrina tillandsiae (Kaston, 1973)
FL, LA, MS, NC, TX
Pelegrina tristis Maddison, 1996
AZ
Pelegrina verecunda (Chamberlin & Gertsch, 1930)
AZ, CA, NM, UT
- Gen. Pellenes Simon, 1876
Pellenes apacheus Lowrie & Gertsch, 1955
AZ
Pellenes canadensis Maddison, 2017
BC; MT
Pellenes crandalli Lowrie & Gertsch, 1955
AZ
Pellenes grammaticus Chamberlin, 1925
AZ
Pellenes ignifrons (Grube, 1861)
AB, BC, ON, YT; WY
Pellenes lapponicus (Sundevall, 1833)
AB, BC, NS, ON, PQ, SK, YT; CO, ME
Pellenes levii Lowrie & Gertsch, 1955
YT; CA, WY
Pellenes limatus Peckham & Peckham, 1901
AZ, CA, TX
Pellenes longimanus Emerton, 1913
FL, MI, NJ, NY, TX
Pellenes peninsularis Emerton, 1925
MB, NB, NS, ON; IL, IN, KS, MI, MN, ND, SD, WI
Pellenes shoshonensis Gertsch, 1934
BC; ID, MT, WY
Pellenes washonus Lowrie & Gertsch, 1955
CA
- Gen. Phanias F. O. Pickard-Cambridge, 1901
Phanias albeolus (Chamberlin & Ivie, 1941)

CA

Phanias concoloratus (Chamberlin & Gertsch, 1930)

CA

Phanias dominatus (Chamberlin & Ivie, 1941)

CA

Phanias furcifer (Gertsch, 1936)

AZ

Phanias harfordi (Peckham & Peckham, 1888)

CA, WA

Phanias monticola (Banks, 1895)

CA, CO

Phanias neomexicanus (Banks, 1901)

NM

Phanias watonus (Chamberlin & Ivie, 1941)

BC; CA

Gen. *Phidippus* C. L. Koch, 1846

Phidippus adumbratus Gertsch 1934

CA

Phidippus apacheanus Chamberlin & Gertsch, 1929

AL, AR, AZ, CA, CO, DC, FL, GA, ID, KS, LA, MA, MN, MO, MS, MT, NC, NE, NM, NV, NY, OK, SC, TX, UT, WI, WY

Phidippus ardens Peckham & Peckham, 1901

AZ, CA, CO, ID, KS, NM, NV, OK, UT, WA

Phidippus arizonensis (Peckham & Peckham, 1883)

NM, TX

Phidippus asotus Chamberlin & Ivie, 1933

AZ, CA, CO, NM, NV, OK, TX, UT

Phidippus audax (Hentz, 1845)

ON, SK; AL, AZ, CA, CO, CT, DC, DE, FL, GA, ID, IL, IN, KS, LA, MA, MD, MI, MN, MO, MS, NC, NE, NH, NJ, NM, NY, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VA, WA, WI, WV, WY

Phidippus aureus Edwards, 2004

CA

Phidippus bidentatus F. O. Pickard-Cambridge, 1901

TX

Phidippus boei Edwards, 2004

CA

Phidippus borealis Banks, 1895

AB, BC, MB, NL, NT, ON, PQ, SK, YT; AK, CO, ID, ME, MI, MN, MT, NH, NY, SD, UT, WA, WI, WY

Phidippus californicus Peckham & Peckham, 1901

AZ, CA, NM, OR, TX, UT

Phidippus cardinalis (Hentz, 1845)

AL, AR, CO, CT, DC, FL, GA, IL, IN, KS, LA, MA, MD, MI, MO, MS, NC, NM, NY, OH, OK, PA, RI, SC, TN, TX, VA, WI, WV

- Phidippus carneus* Peckham & Peckham, 1896
AZ, CO, NM, TX
- Phidippus carolinensis* Peckham & Peckham, 1909
KS, OK, TX
- Phidippus clarus* Keyserling, 1885
ON, PQ, SK; AL, AR, AZ, CA, CO, CT, DC, FL, GA, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NY, OH, OK, OR, PA, RI, SC, TN, TX, UT, VA, VT, WA, WI, WV
- Phidippus comatus* Peckham & Peckham, 1901
SK; AZ, CA, NM, NV, OR, TX, UT, WA, WY
- Phidippus concinnus* Gertsch, 1934
CA, ID
- Phidippus cryptus* Edwards, 2004
AB, MB, ON, SK; MN, MT, ND
- Phidippus felineus* Edwards, 2004
AZ, NM
- Phidippus insignarius* C. L. Koch, 1846
AR, CO, CT, DC, IA, IL, IN, KS, KY, MA, MD, MI, MN, MO, NC, NE, NJ, NY, OH, OK, PA, TN, VA, WI
- Phidippus johnsoni* (Peckham & Peckham, 1883)
AB, BC, NT, SK; AZ, CA, CO, ID, MT, NV, OR, SD, UT, WA, WY
- Phidippus kastoni* Edwards, 2004
CA
- Phidippus lynceus* Edwards, 2004
NV, OR
- Phidippus morpheus* Edwards, 2004
AZ, NM
- Phidippus mystaceus* (Hentz, 1846)
AL, AR, CO, CT, DC, FL, GA, IL, KS, KY, MD, MI, MO, NC, NJ, NY, OH, OK, SC, TN, TX, VA
- Phidippus nikites* Chamberlin & Ivie, 1935
CA, ID, NV
- Phidippus octopunctatus* (Peckham & Peckham, 1883)
AZ, CA, CO, IA, KS, MO, MT, NE, NM, NV, SD, TX, UT, WA
- Phidippus olympus* Edwards, 2004
AZ, NM
- Phidippus otiosus* (Hentz, 1846)
AL, AR, DC, FL, GA, IN, LA, MD, MI (intercepted), MN (intercepted on plants from FL), MO, MS, NC, SC, TN, TX, VA
- Phidippus phoenix* Edwards, 2004
AZ, CA, TX
- Phidippus pius* Scheffer, 1905
AL, AZ, FL, GA, IL, IN, KS, LA, MI, MN, MO, MS, NC, NM, OH, OK, PA, SC, TN, TX, VA
- Phidippus princeps* (Peckham & Peckham, 1883)

- MB, NS, ON, PQ, SK; AL, AR, CT, GA, IA, IL, IN, KS, KY, LA, MA, MD, MI, MN,
MO, MS, NC, NH, NJ, NY, OH, OK, PA, RI, SC, TN, TX, UT, VA, VT, WI, WV
- Phidippus pruinosus* Peckham & Peckham, 1909
TX
- Phidippus pulcherrimus* Keyserling, 1885
AL, FL, GA, SC
- Phidippus princeps pulcherrimus* Keyserling, 1885
AL, GA, SC
- Phidippus purpuratus* Keyserling, 1885
AB, BC, MB, NS, ON, PQ, SK; AR, CT, DC, FL, IL, IN, KS, MA, MD, ME, MI, MN,
MO, MT, ND, NE, NH, NY, OH, PA, SC, VA, VT, WI, WY
- Phidippus putnami* (Peckham & Peckham, 1883)
AL, AR, DC, GA, IL, IN, KS, KY, LA, MD, MO, MS, NC, NE, NJ, OH, OK, PA, SC,
TN, TX, VA, WV
- Phidippus regius* C. L. Koch, 1846
AL, FL, GA, MS, NC, SC, VA
- Phidippus richmani* Edwards, 2004
FL
- Phidippus texanus* Banks, 1906
AR, CO, KS, MO, MT, ND, NE, NM, OK, TX
- Phidippus tigris* Edwards, 2004
AZ
- Phidippus toro* Edwards, 1978
AZ
- Phidippus tux* Pinter, 1970
AZ
- Phidippus tyrannus* Edwards, 2004
AZ, NM, TX
- Phidippus tyrrelli* Peckham & Peckham, 1901
BC; AZ, CA, CO, ID, MT, NM, OR, UT, WY
- Phidippus ursulus* Edwards, 2004
NM
- Phidippus vexans* Edwards, 2004
NM, TX
- Phidippus whitmani* Peckham & Peckham, 1909
MB, NL, NS, ON, PQ; AL, AR, CT, DC, DE, FL, GA, IA, IL, IN, KS, KY, LA, MA,
MD, ME, MI, MN, MO, MS, NC, ND, NE, NH, NJ, NY, OH, OK, PA, RI, SC, TN, TX,
VA, WI
- Phidippus workmani* Peckham & Peckham, 1901
FL, GA
- Gen. *Phlegra* Simon, 1876
Phlegra hentzi (Marx, 1890)
ON; AR, FL, IL, IN, KS, MA, MI, MN, MO, OH, SC, TX, WI
- Gen. *Platycryptus* Hill, 1979

Platycryptus arizonensis (Barnes, 1958)
AZ, CA, NM, UT
Platycryptus californicus (Peckham & Peckham, 1888)
BC; AZ, CA, CO, ID, MT, OR, UT
Platycryptus undatus (DeGeer, 1778)
MB, NS, ON, PQ; AL, AR, CT, DC, FL, GA, IA, IL, IN, KS, KY, LA, MA, MD, MI,
MN, MO, MS, NC, NE, NJ, NY, OH, OK, PA, SC, TN, TX, VA, WI, WV

Gen. *Plexippus* C. L. Koch, 1846
Plexippus paykulli (Audouin, 1826)
FL, GA, IN, NM, SC, TX

Gen. *Poultonella* Peckham & Peckham, 1909
Poultonella alboimmaculata (Peckham & Peckham, 1883)
IA, KS, NM, NY, OK, TX, VA
Poultonella nuecesensis Cokendolpher & Horner, 1978
TX

Gen. *Pseudeuophrys* Dahl, 1912
Pseudeuophrys erratica (Walckenaer, 1826)
CT, MA, NJ, NY, OR, PA, RI, VT (introduced)
Pseudeuophrys lanigera (Simon, 1871)
NY, WA (introduced)

Gen. *Rhetenor* Simon, 1902
Rhetenor texanus Gertsch, 1936
TX

Gen. *Salticus* Latreille, 1804
Salticus austiniensis Gertsch, 1936
KS, OK, TX
Salticus palpalis (Banks, 1904)
AZ, CA
Salticus peckhamae (Cockerell, 1897)
NM, TX
Salticus scenicus (Clerck, 1757)
AB, MB, NB, NL, NS, ON, PQ, SK; AR, CA, CO, CT, DC, GA, IA, IL, IN, KS, MI,
MN, NJ, NY, OH, OR, PA, TX, WI

Gen. *Sarinda* Peckham & Peckham, 1892
Sarinda cutleri (Richman, 1965)
AZ, CA
Sarinda hentzi (Banks, 1913)
AR, AZ, CT, FL, GA, IL, IN, KS, LA, MA, MO, MS, NY, OH, PA, SC, TX

Gen. *Sassacus* Peckham & Peckham, 1895

Sassacus cyaneus (Hentz, 1846)
NB; AL, AR, CT, FL, GA, IA, IL, IN, MA, MO, MS, NC, NE, NJ, NY, OH, PA, SC,
TX, VA, WI, WV
Sassacus paiutus (Gertsch, 1934)
AZ, CA, UT
Sassacus papenhoei Peckham & Peckham, 1895
BC; AL, AZ, AR, CA, CO, DC, IA, ID, IL, IN, KS, LA, MD, MI, MN, MO, MS, MT,
NC, NE, NM, NV, OH, OK, OR, SC, TN, TX, UT, VA, WA, WI, WY
Sassacus vitis (Cockerell, 1894)
AB, BC; AZ, CA, FL, ID, KS, MT, NM, OK, OR, TX, UT, WA, WY

Gen. Sibianor Logunov, 2001
Sibianor aemulus (Gertsch, 1934)
AB, MB, ON, PQ, SK; MN, WI

Gen. Sittisax Prószynski, 2017
Sittisax ranieri (Peckham & Peckham, 1909)
AB, BC, MB, NB, NL, NT, ON, PQ, SK, YT; AK, CO, OR, WA, WY

Gen. *Synageles* Simon, 18760
Synageles bishopi Cutler, 1988
AR, CT, FL, KS, KY, MA, MD, MO, MS, NC, NJ, NM, NY, PA, SC, TN, TX, VA
Synageles canadensis Cutler, 1988
BC, NB, NS, ON, PQ; MI
Synageles idahoanus (Gertsch, 1934)
CA, ID, OR, UT, WY
Synageles leechi Cutler, 1988
BC
Synageles mexicanus Cutler, 1988
AZ, NM
Synageles noxiousus (Hentz, 1850)
ON; AZ, CA, CT, DC, FL, GA, KS, IA, IL, LA, MA, MI, MN, MO, MS, NC, NJ, NM,
NV, NY, OH, OK, PA, TN, TX, VA, WI
Synageles occidentalis Cutler, 1988
ON, PQ; AZ, CA, CO, IA, ID, IL, MI, MN, ND, NE, NV, OR, SD, UT, WA, WI
Synageles venator (Lucas, 1836)
PQ

Gen. *Synemosyna* Hentz, 1846
Synemosyna formica Hentz, 1846
ON; AR, CT, FL, GA, IA, IL, IN, KS, MI, MN, NH, NJ, OH, PA, SC, TX, WI
Synemosyna petrunkevitchi (Chapin, 1922)
FL

Gen. *Talavera* Peckham & Peckham, 1909
Talavera minuta (Banks, 1895)

AB, BC, MB, NS, NT, ON, PQ, SK, YT; CA, CT, IL, IN, KS, MA, MI, MN, NM, NY, OH, PA, TX, UT, WA, WI

Gen. *Terralonus* Maddison, 1996

Terralonus banksi (Roewer, 1951)

NM

Terralonus californicus (Peckham & Peckham, 1888)

BC; CA

Terralonus fraternus (Banks, 1932)

OK

Terralonus mylothrus (Chamberlin, 1925)

UT

Terralonus shaferi (Gertsch & Riechert, 1976)

NM

Terralonus unicus (Chamberlin & Gertsch, 1930)

AZ, KS, NM, UT, WY

Terralonus versicolor (Peckham & Peckham, 1909)

ME (most likely erroneous)

Gen. *Thiodina* Simon, 1900

Thiodina tyrioni Bustamante & Ruiz, 2020

AZ

Gen. *Tomis* F. O. Pickard-Cambridge, 1901

Tomis welchi (Gertsch & Mulaik, 1936)

TX

Gen. *Tutelina* Simon, 1901

Tutelina elegans (Hentz, 1846)

ON; AR, CT, IL, IN, KS, MI, MN, MO, MS, NJ, OH, SC, TX, WI

Tutelina formicaria (Emerton, 1891)

ON; CT, GA, IL, MA, MI, MN, NJ, NY, OH

Tutelina harti (Emerton, 1891)

MB, ON, PQ; CT, FL, IL, IN, KS, MI, MN, NE, OH, SC, WI

Tutelina similis (Banks, 1895)

AB, BC, MB, NS, ON, PE, PQ, SK; CT, IA, IL, IN, MI, MN, MO, NM, NY, OH, TX, WI, WY

Gen. *Zygodallus* Peckham & Peckham, 1885

Zygodallus iridescentis Banks, 1895

NH

Zygodallus nervosus (Peckham & Peckham, 1888)

ON, PQ; FL, IL, IN, KS, LA, MI, MN, NH, NY, OH, TX, WI

Zygodallus rufipes Peckham & Peckham, 1885

ON; AR, AZ, FL, IL, IN, KS, MA, MI, MN, MO, NY, OH, PA, SC, TX, WI

Zygodallus sexpunctatus (Hentz, 1845)

FL, IL, IN, OH, SC, TX

(List submitted by David Richman and Bruce Cutler 27 January 2000). Modified by David Richman 15 February 2015, based on Richman, Cutler & Hill, 2012 (*Peckhamia* 95.3) at http://peckhamia.com/peckhamia/PECKHAMIA_95.3.pdf and updated Canadian Records provided from Paquin, P., D. J. Buckle, N. Dupérré and C. D. Dondale. 2010. Checklist of the spiders (Araneae) of Canada and Alaska. *Zootaxa* 2461.

(Modified by D. Allen Dean, 26 January 2021)